SAFETY DATA SHEET

Date of issue/Date of revision 10 May 2023

Version 3.03

Section 1. Identification

Product code	: 375472/1L
Product identifier	: WHITE KNIGHT RUST GUARD RUST CONVERTER
Other means of identification	: \$0003423
Recommended use and re	estrictions
Use of the substance/ mixture	: Coating.
Uses advised against	: Not applicable.
Supplier's details	: PPG Architectural Coatings 9 Birmingham Ave Villawood, NSW 2163 Australia Tel: +61 2 9794 1200 Fax: + 61 2 9794 1237
Emergency telephone	: Australia 1800 883 254 / New Zealand 0800 000 096

Section 2. Hazard(s) identification

number

Classification of the substance or mixture	CORROSIVE TO METALS - Category 1 ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
GHS label elements	
Hazard pictograms	
Signal word	
Hazard statements	 May be corrosive to metals. Causes severe skin burns and eye damage. Harmful if inhaled.
Precautionary statements	
Prevention	: Wear protective gloves, protective clothing and eye or face protection. Keep only i original packaging. Avoid breathing vapour.
Response	Absorb spillage to prevent material damage. IF INHALED: Immediately call a POISON CENTER or doctor. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTER or doctor. Wash contaminated clothing before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	Not applicable.
	Australia CHS Page: 1/11



Australia GHS Page: 1/11

CAS number

7664-38-2

Version 3.03

% (w/w)

30 - 60

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 2. Hazard(s) identification

Disposal		Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	Not applicable.

Other hazards which do not : Contains isothiazolinones. May cause allergic reaction. **result in classification**

Section 3. Composition and ingredient information

Substance/mixture

: Mixture

CAS number/other identifiers

CAS number EC number	Not applicable. Mixture.		
Ingredient name			
Phosphoric acid			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment or have an OEL and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

SUB codes represent substances without registered CAS Numbers.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.
Inhalation	: Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.
Skin contact	: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.
Ingestion	 If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects	<u>S</u>			
Eye contact	: Causes serious eye damage.			
Inhalation	: Harmful if inhaled.			
Skin contact	: Causes severe burns.			
Ingestion	: No known significant effects or critical hazards.			
Over-exposure signs/symptoms				
Eye contact	: Adverse symptoms may include the following: pain watering redness			
Inhalation	: No specific data.			

Version 3.03

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 4. First aid measures

Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	:	Adverse symptoms may include the following: stomach pains
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	-	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
See toxicological information (Section 11)		

Section 5. Firefighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	 Decomposition products may include the following materials: phosphorus oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hazchem code	: 2X or 4W

Section 6. Accidental release measures

Personal precautions, protec	tiv	e equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		Australia GHS Page: 3/11

Version 3.03

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 6. Accidental release measures

Methods and material for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling		
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Store locked up. Separate from alkalis. Keep away from metals. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls and personal protection

Control parameters

Occupational exposure limits

Phosphoric acid	Safe Work Australia (Australia, 12/2019).
	STEL: 3 mg/m ³ 15 minutes.
	TWA: 1 mg/m ³ 8 hours.

Product code 375472/1L

Date of issue 10 May 2023

Version 3.03

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 8. Exposure controls and personal protection

Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
For products that are spraye NZS 4114.	d, where practicable use a spray booth designed and maintained in accordance with AS/
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection meas	ures
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Chemical splash goggles and face shield.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
Restrictions on use	: Not applicable.
References: Eve protectors	should conform to AS/NZS 1336 and AS/NZS 1337. Chemical-resistant gloves should

References: Eye protectors should conform to AS/NZS 1336 and AS/NZS 1337. Chemical-resistant gloves should conform to AS/NZS 2161.1. Respiratory protection should conform to AS/NZS 1715 and AS/NZS 1716. Occupational footwear should conform to AS/NZS 2210.

Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid.
Colour	: Clear.
Odour	: Not available.
Odour threshold	: Not available.
рН	: 1
Melting point	: Not available.

Section 9. Physica	l a	and chemica	al properties
Boiling point	:	100°C (212°F)	
Flash point	:	Closed cup: 120°C	(248°F) [Product does not sustain combustion.]
Evaporation rate	:	Not available.	
Flammability (solid, gas)	:	Not available.	
Lower and upper explosive (flammable) limits	:	Not available.	
Vapour pressure	:	Not available.	
Vapour density	:	Not available.	
Relative density	:	1.19	
Bulk Density (g/cm ³)	:	1.1896	
Colubility/icc)		Media	Result
Solubility(ies)	•	cold water	Partially soluble
Partition coefficient: n- octanol/water	:	Not applicable.	
Auto-ignition temperature	:	Not available.	
Decomposition temperature	:	Not available.	
Viscosity	:	Not Applicable	

: No specific test data related to reactivity available for this product or its ingredients. Reactivity **Chemical stability** : The product is stable. **Possibility of hazardous** : Under normal conditions of storage and use, hazardous reactions will not occur. reactions **Conditions to avoid** : Stable under recommended storage and handling conditions (see Section 7). When exposed to high temperatures may produce hazardous decomposition products. : Keep away from the following materials to prevent strong exothermic reactions: **Incompatible materials** oxidising agents, strong alkalis, strong acids. : Depending on conditions, decomposition products may include the following **Hazardous decomposition** products materials: phosphorus oxides

Section 11. Toxicological information

Information on toxicological effects

Product code 375472/1L

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Product/ingredient name	Result	Species	Dose	Exposure
Phosphoric acid	LD50 Dermal LD50 Oral	Rabbit Rat	2.74 g/kg 1.25 g/kg	
Conclusion/Summary Irritation/Corrosion Not available.	: There are no data av	ailable on the mixture i	tself.	
Conclusion/Summary				

Australia GHS Page: 6/11

Version 3.03

Product code 375472/1L

Date of issue 10 May 2023

Version 3.03

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 11. Toxicological information

Section 11. TOXICO	iogical information
Skin	: There are no data available on the mixture itself.
Eyes	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
<u>Sensitisation</u>	
Not available.	
Conclusion/Summary	
Skin	: There are no data available on the mixture itself.
Respiratory	: There are no data available on the mixture itself.
Mutagenicity	
Not available.	
Conclusion/Summary	: There are no data available on the mixture itself.
Carcinogenicity	
Not available.	
Conclusion/Summary	: There are no data available on the mixture itself.
Reproductive toxicity	
Not available.	
Conclusion/Summary	: There are no data available on the mixture itself.
<u>Teratogenicity</u>	
Not available.	
Conclusion/Summary	: There are no data available on the mixture itself.
Specific target organ toxicity	
Not available.	
Specific target organ toxicity	<u>/ (repeated exposure)</u>
Not available.	
Aspiration hazard	
Not available.	
Not available.	
Information on likely routes	: Not available.
of exposure	
Potential acute health effects	
Eye contact	: Causes serious eye damage.
Inhalation	: Harmful if inhaled.
Skin contact	: Causes severe burns.
Ingestion	: No known significant effects or critical hazards.
	sical, chemical and toxicological characteristics
Eye contact	: Adverse symptoms may include the following:
	pain watering
	redness
Inhalation	: No specific data.

Version 3.03

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 11. Toxicological information

Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion		Adverse symptoms may include the following: stomach pains
Delayed and immediate effect	<u>cts</u>	as well as chronic effects from short and long-term exposure
Conclusion/Summary	:	There are no data available on the mixture itself. Contains isothiazolinones. May cause allergic reaction. If splashed in the eyes, the liquid may cause irritation and reversible damage. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.
<u>Short term exposure</u>		
Potential immediate effects	:	There are no data available on the mixture itself.
Potential delayed effects	1	There are no data available on the mixture itself.
Long term exposure		
Potential immediate effects	1	There are no data available on the mixture itself.
Potential delayed effects	:	There are no data available on the mixture itself.
Potential chronic health eff	ect	<u>s</u>
Not available.		
General	:	No known significant effects or critical hazards.
Carcinogenicity	1	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Reproductive toxicity	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)		(vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
HITE KNIGHT RUST GUARD RUST CONVERTER Phosphoric acid	3498.1 1250	N/A 2740	N/A N/A	N/A N/A	4.2 1.5

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 12. Ecological information

Bioaccumulative potential

Not available.

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff
	and contact with soil, waterways, drains and sewers.

Section 14. Transport information			
	ADG	IMDG	ΙΑΤΑ
UN number	UN1760	UN1760	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O. S. (Phosphoric acid)	CORROSIVE LIQUID, N.O. S. (Phosphoric acid)	CORROSIVE LIQUID, N.O. S. (Phosphoric acid)
Transport hazard class (es)	8	8	8
Packing group			111
Environmental hazards	No.	No.	No.
Marine pollutant substances	Not applicable.	Not applicable.	Not applicable.

Additional information

ADG	: None identified.
Hazchem code	: 2X or 4W
IMDG	: The segregation group has been manually assigned based upon product analysis.
IATA	: None identified.

Product code 375472/1L

Date of issue 10 May 2023

Version 3.03

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 14. Transport information

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

Standard for the Uniform Sch	neduling of Medicines and Poisons
SUSMP	: 6
Model Work Health and Safet No listed substance	ty Regulations - Scheduled Substances
Australia inventory (AIIC)	: All components are listed or exempted.
New Zealand (NZIoC)	: All components are listed or exempted.
International regulations Chemical Weapon Convention Not listed.	ion List Schedules I, II & III Chemicals
Montreal Protocol Not listed.	
Stockholm Convention on F Not listed.	Persistent Organic Pollutants
Rotterdam Convention on P Not listed.	Prior Informed Consent (PIC)
UNECE Aarhus Protocol on	POPs and Heavy Metals

Not listed.

Section 16. Any other relevant information

<u>History</u>
Date of issue/Date of revision
Date of previous issue
Prepared by
Key to abbreviations

Australia GHS Page: 10/11

Version 3.03

Product name WHITE KNIGHT RUST GUARD RUST CONVERTER

Section 16. Any other relevant information

UN = United Nations

References

: Not available. Indicates information that has changed from previously issued version.

Notice to reader

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.